


News Letter_March.2018_Item of the month

Item of the month 


50W LED flood lighting

STELLON LED flood lighting for cattle shed

Suitable for cattle shed, piggery, poultry farm (3~7m of height)

AC220V 50W
LED flood lighting for cattle shed

#AC220V TYPE

 LED flood lighting for cattle shed

Perfect waterproof, moisture proof flood lighting


- It is possible to substitute for 150W HQI lighting and increasing the luminous flux than existing products by 10~20%.
- Completely waterproof, dustproof, moisture proof (Related 2 patent & IP67)
- Economical effect (60% ~ 70% reduction of electricity cost compared to HQI)
- Total flux 3,686 / Illuminance 1,300

■ Specification

2) Specification


Total flux	Illuminance(lm)	Beam angle	CRI	CCT	
3,686(lm)	1,300(lux)	120°/ 60"	OVER 75	6,000K / 5000K	
IP level	Weight	Operating temperature	Power consumption	Input voltage	PF
IP67	1 Kg	-50~55℃	50W	AC220V (210V~230V)	OVER 0.9

■ Dimension (173mmX135mmX121.8mm)




01. LED flood lighting for cattle shed

1. Various installation type




2. Applying EMI free filter for overvoltage, noise



02. Water proof, moisture proof,


Applied special technology to solve the problem of infiltration of diffuse gas which is the biggest problem of existing cattle shed lighting.

1. Double sealing 2. Filling injection




03. Durability test

Finished to bad condition test for customer confidence and image enhancement.



04. CRI & CCT to give animal a sense of stability

Color rendering & color temperature to give animal a sense of stability



www.e-gmtech.com

1 Songshan Rd. 21, Gumi-si, Gyeongsangbuk-do, Korea
TEL : +82-54-716-2732
FAX : +82-54-716-2421
WhatsApp +82-10-2623-0500
E-mail: gumi@e-gmtech.com

