


News Letter_August.2018_Monthly news



e-GM Tech renewal homepage opened
It reflects the latest trend, which is different from the existing method which was based on PC, and it shows optimized response homepage on mobile and tablet.
It has been reorganized into a system that can communicate with customers as well as the existing one-way information transfer function.

Product Introduce

MOVIE LINK

SLIM 35W / 50W
-100% waterproof, moisture proof, dust proof (IP67 level & related zimmer)
-Substitute for 150W HQL lighting, increasing the luminous flux 70~85%
-Saving electricity cost by 60~70% (compare to HQL)

Slim 50W lighting only for sign board

Perfect water proof, moisture proof slim(45mm) outdoor lighting.
Perfect water proof, moisture proof, high efficiency, outdoor LED flood lighting.

-It is possible to substitute for 150W HQL lighting, and increasing the luminous flux than existing products by 70~85%.
-100% waterproof, moisture proof, dust proof (IP67 level & related zimmer).
-Saving electricity cost by 60~70% (compare to HQL)

Specifications

TOTAL FLUX	LUMINANCE (lm)	CRI	CCT
3,683(lm)	1,300(lux)	OVER 75	6000K

IP LEVEL	WEIGHT	OPERATING TEMPERATURE	POWER CONSUMPTION	INPUT VOLTAGE FACTORY	POWER FACTORY
IP67	1 Kg	-50~55°C	50W	AC220V (210V~270V)	OVER 0.9

Light Distribution & Cone Lux Levels

