

News Letter_May.2019_Monthly News letter

EGM Tech News



Recently, EGM TECH exported 150 samples, including factories, to The factory in Indonesia for sample installation.

In particular, Indonesia was very difficult to export because of the strict regulations on customs. However, the success of the company has made it possible to increase its overseas export capacity.

As the supply of domestic lighting market becomes more difficult, Vietnam is exporting not only to Indonesia but also Japan, the Middle East and Southeast Asia based on the introduction of the branch office in Vietnam.



On April 17, the President of Indonesia, who is sure to be president, is touring the candidates shortly after he decides to relocate the capital.

Presently, before the presidential election, many presidents have promoted the relocation of the capital but the relocation has not occurred.

The presidential election is expected to take up 60 percent of the parliamentary seats in the ruling coalition party, and it is expected that the transfer of capital will be approved by the National Assembly.

He said that he has traveled to the eastern part of Indonesia by reason of balanced national development and considered it as a convenient capital destination for transportation with major cities.



If the capital is transferred in this way the balance of development will become more active and the regional economy will be revitalized and the construction business will be actively promoted and the surge of the indirect high-rise buildings of the capital Jakarta will be resolved.



Lighting for construction work

LED 170W cylindrical lighting suitable for indoor construction work lighting

Product Features

- 01. Indoor work lighting**
 - High brightness (170W)
 - High efficiency (90lm/W)
 - High reliability (50,000h)
- 02. Connectable**
 - Support 100W/150W/200W/250W/300W/350W/400W/450W/500W/550W/600W/650W/700W/750W/800W/850W/900W/950W/1000W
 - Support 100W/150W/200W/250W/300W/350W/400W/450W/500W/550W/600W/650W/700W/750W/800W/850W/900W/950W/1000W
- 03. Portability**
 - Light weight (12kg)
 - Easy to carry (12kg)
 - Easy to install (12kg)
- 04. Able to separate**
 - Support 100W/150W/200W/250W/300W/350W/400W/450W/500W/550W/600W/650W/700W/750W/800W/850W/900W/950W/1000W

Specifications

Item	Specification
LED	170W
Beam angle	120°
Color temperature	5000K
Power factor	>0.95
Efficiency	90lm/W
Life span	50,000h
Material	Aluminum
Weight	12kg

Product dimensions (1000mmx450mmx120mm)



