LED Controller







LED Controller

ORDER CODE: RGB-300

SPECIFICATION

- -
- -
- -
- -
- -
- -
- 0.2kg
- -
- •

Rating

- Below 73W per circuit, DC12V

LED Controller provides RGB Led and White LED for expression of various patterns such as dimming, flickering, dimming+flickering, and color fixing.

Especially, LED Controller combines three primary lights of red green and blue to express 7 color combinations.

- Rotary switch for simple mode selection
- 16 expressions with RGB mode, one-color mode, and white mode
- Easy expression setting and speed adjustment without separate tool
- Rain-proof type for use in indoor and outdoor
- Simple size

RGB/One-Color Mode

Mode	Expression Setting	Mode Explanation	Wiring Diagram
RGB Mode	0	Sequential dimming	

	1	Sequential flickering	
	2	Sequential dimming and flickering	4,5013
One-Color	3	Fixed lighting of red(R)	Expression Setting
	4	Fixed lighting of green(G)	
	5	Fixed lighting of blue(B)	Speed Adjustment
	6	Fixed lighting of yellow(RG)	
	7	Fixed lighting of sky-blue(GB)	OutputInput _
	8	Fixed lighting of purple(RB)	B3 G2 R1 W+ V+ V-
	9	Fixed lighting of white(RGB)	RGB Mode Wiring Diagram