

## LED Highbay Light 100W, 150W



## LED Highbay Light 100W, 150W

ORDER CODE : HB-001(100W), HB-002(150W)

### SPECIFICATION

- 100W, 150W
- 220V(210V~270V) ,50~60Hz
- 11,500(lm) 100W, 16,500(lm) 150W
- 80RA
- 5700K
- IP67
- 3.2kg
- 0.95 PF
- -20 ~40

# Factory lighting 100W



## 100% Perfect waterproof & High efficiency 100W Factory lighting

- Substitution for 300W HQI
- 60~70% savings electricity cost (compared with HQI)
- Total flux 11,000lm / high efficiency 115lm/w
- Easy installation



### ■ Specification

Total flux	LED PKG	Size	CRI	CCT	
11,500(lm)	LG2835	φ 330x250	OVER 80	5700K	
IP level	Weight	Operating temperature	Power consumption	Input voltage	PF
IP67	3.2 Kg	-20~40°C	100W	AC200V~275V (MAX300V) 50/60Hz	OVER 0.95

# Factory lighting 150W



## 100% Perfect waterproof & High efficiency 150W Factory lighting

- Substitution for 450W HQI
- 60~70% savings electricity cost (compared with HQI)
- Total flux 16,539lm / high efficiency 115lm/w
- Easy installation



### ■ Specification

Total flux	LED PKG	Size	CRI	CCT	
16,500(lm)	LG2835	φ 330x250	OVER 80	5700K	
IP level	Weight	Operating temperature	Power consumption	Input voltage	PF
IP67	3.2 Kg	-20~40°C	150W	AC200V~275V (MAX300V) 50/60Hz	OVER 0.95

