

## Stellon 25W LED Work Light for Machine Tools






## 25W LED Work Light for Machine Tools

### Specifications

- 25W
- DC24V ( Input Voltage 19V~38V)
- 1,950 lm,
- 1,980 lux
- 70 Ra
- 5700K
- IP67
- 1Kg
- -30 ~ 60

## DIMENSION



- . Body: AL6063
- . Cover : Tempered Glass
- . Brackets: Steal + Electrodeposition coating
- . Cable: Dura& Flex VU 3000mm

**Water, vibration and oil resistant LED work light, suitable for machine tools applications and high temperature water cleaning environments**

- Excellent oil resistance with a special sealing structure with IP67 protection rating, suitable for machine tool applications with cutting fluids
- Suitable for high pressure and high temperature water cleaning environments(IP69K)
- Tempered glass prevents damage from machine tool chips

- Foreign substances do not accumulate on the shielding glass surface of the working light due to its flush structure to the housing structure of the product
- An external power supply is not needed for the AC type product; AC voltage can be applied directly to the product
- Can select from a variety of bracket options from direct mount, tilt mount, and pan/ tilt mount type to fit your work environment or lighting condition needs
- Equipped anti-glare filter
- Suitable for environments that require stable intensity illumination for improved visibility
- Standard entry cable included. Can customize the product with the M12 connector if requested
- Customized oil resistant cable attached type available