News Letter_Apr.2020_Monthly News letter























2/4





Grasshoppers, boasting a voracious appetite that is devastating to the extent that there is no grass around them, are moving from Africa to India and Pakistan to mainland China.

One of the most destructive pests on the planet the grasshopper is 6 to 7 cm long and weighs 2 g. It lays 300 eggs a year and breeds grasshoppers over 5 generations. This time, there are 400 billion grasshoppe



It is the first time in 70 years that an astronomical number of locusts has appeared, and experts believe that locusts have risen due to abnormal weather.



China is preparing for a war with locusts, and in Las Vegas a huge amount of locusts is appearing to surprise tourists. Experts say that a hotel's lighting attracted a swarm of grasshoppers in search of food.

Propose lighting using the propensity of grasshoppers strongly attracted by UV rays

Product in issue

LED Flood lighting 100W



Public procurement NO:23327113
Big space lightling 100W
100% waterpool, damp pool, dail pool of pool foodleff fully autpointed to big space foodless, sootle and later lightling.

☐ CE ② F© RoHS ② ◎ ⑩ ∰

Total flux	Luminance efficiency	Beam angle \$\frac{600}{40}20\cappa^2/40\cappa^3/120\cappa^3		CRI	5700K 4000K 3000K	
10,2000m)	1025m/w			Over 80		
Converter	Input voltage	Power consumption	PF	Converter		
Mean well Union	AC100V~250V 50/60Hz	100W	Over 0,95	90%		
IP level	IK level	Weight	Working temperature	Heatsink material	Cover	
IP68	IK10	Lighting 3,5kg Converter 0,8kg	-40~90°C	AL 6063	Poly Cerbonate	

LED Flood lighting 150W



Public procurement NO:23327114
Big space lighting 150W
100% well-pend, darp peof, dust peof
al proof loodight fully supported to big space
before, sports and labore lighting

CCE ® FC RoHS © ® ®

R

Total flux	Luminance efficiency	Beam angle 20°/ 20°/ 40°/ 60°/120°		CRI Over 80	5700K 4000K 3000K	
15,4500m)	1058m/w					
Converter	input voltage	Power consumption	PF	Converter		
Mean well Union	AC100V~250V 50/60Hz	150W	Over 0,95	90%		
IP level	IK level	Weight	Working temperature	Heatsink material	Cover	
IP68	K10	Lighting 3,5kg	-40~50°C	AL 6063	Poly	

LED Flood lighting 200W



Public procurement NO:23327115 Big space lighting 200W 100% waterpoot, darp poot, dust pool of pool flooding 14th automated to the space factory, sports and leiture lighting

Total flux	Luminance efficiency	Beam angle 20°/ 20°/ 40°/ 60°/120°		CRI	5700K 4000K 3000K	
19,830(m)	103lm/w			Over 80		
Converter	Hout voltage	Power consumption	PF	Converter		
Mean well Union	AC100V~250V 50/60Hz	200W	Over 0,95	90%		
IP level	IK level	Weight	Working temperature	Heatsink material	Cover	
IP68	IK10	Lighting 3,5kg Converter 0,8kg	-40~50°C	AL 6063	Poly Cerbonate	



3/4

stellon

http://stellon.net